

List of Full-Text Articles Reviewed (*studies included in the meta-regression)

Al-Sharbaty M, Adawi SA, Al-Hussaini AA, Lawati SA, Martin R: ADHD in Omani schoolgirls. *J Am Acad Child Adolesc Psychiatry* 2004; 43(2):132-133

Almeida Filho N: Estudo de prevalencia de desordens mentais na infancia em uma zona urbana de Salvador-Bahia (Survey of mental disorders in childhood in a urban area, Salvador-Bahia). (in Portuguese). *J Bras Psiquiatr* 1982; 31(4):225-236

*Almqvist F, Puura K, Kumpulainen K, Tuompo-Johansson E, Henttonen I, Huikko E, Linna S, Ikaheimo K, Aronen E, Katainen S, Piha J, Moilanen I, Rasanen E, Tamminen T: Psychiatric disorders in 8-9-yr-old children based on a diagnostic interview with the parents. *Eur Child Adolesc Psychiatry* 1999; 8(S4):17-28

*Anderson JC, Williams S, McGee R, Silva PA: DSM-III disorders in preadolescent children: prevalence in a large sample from the general population. *Arch Gen Psychiatry* 1987; 44(1):6-76

Anderson JC: Is childhood hyperactivity the product of Western culture? *Lancet* 1996; 348(9020):73-74

*Andres Carrasco MA, Catala MA, Gomez-Beneyto M: Study of the prevalence of the attention deficit hyperactivity disorder in ten-year-old children living in the Valencia metropolitan area. *Actas Luso Esp Neurol Psiquiatr Cienc Afines* 1995; 23(4):184-188

Andres MA, Catala MA, Gomez-Beneyto M: Prevalence, comorbidity, risk factors and service utilisation of disruptive behaviour disorders in a community sample of children in Valencia (Spain). *Soc Psychiatry Psychiatr Epidemiol* 1999; 34(4):175-179

- Angold A, Erkanli A, Egger HL, Costello EJ: Stimulant treatment for children: a community perspective. *J Am Acad Child Adolesc Psychiatry* 2000; 39(8):975-984
- *Angold A, Erkanli A, Farmer EMZ, Fairbank JA, Burns BJ, Keeler G, Costello EJ. Psychiatric disorder, impairment, and service use in rural African American and White youth. *Arch Gen Psychiatry* 2002; 59:873-901
- Apter A, Pauls DL, Bleich A, Zohar AH, Kron S, Ratzoni G, Dycian A, Kotler M, Weizman A, Gadot N, et al: An epidemiologic study of Gilles de la Tourette's syndrome in Israel. *Arch Gen Psychiatry* 1993; 50(9):734-738
- Arseneault L, Moffitt TE, Caspi A, Taylor PJ, Silva PA: Mental disorders and violence in a total birth cohort: results from the Dunedin Study. *Arch Gen Psychiatry* 2000; 57(10):979-986
- *Ashenafi Y, Kebede D, Desta M, Alem A: Prevalence of mental and behavioural disorders in Ethiopian children. *East Afr Med J* 2001; 78(6):308-311
- August GJ, Garfinkel BD: Behavioral and cognitive subtypes of ADHD. *J Am Acad Child Adolesc Psychiatry* 1989; 28(5):739-748
- *August GJ, Ostrander R, Bloomquist MJ: Attention deficit hyperactivity disorder: an epidemiological screening method. *Am J Orthopsychiatry* 1992; 62(3):387-396
- *August GJ, Realmuto GM, MacDonald AW 3rd, Nugent SM, Crosby R: Prevalence of ADHD and comorbid disorders among elementary school children screened for disruptive behavior. *J Abnorm Child Psychol* 1996; 24(5):571-595
- August GJ, Braswell L, Thuras P: Diagnostic stability of ADHD in a community sample of school-aged children screened for disruptive behavior. *J Abnorm Child Psychol* 1998; 26(5):345-356

- August GJ, Realmuto GM, Joyce T, Hektner JM: Persistence and desistance of oppositional defiant disorder in a community sample of children with ADHD. *J Am Acad Child Adolesc Psychiatry* 1999; 38(10):1262-1270
- Barbarese WJ, Katusic SK, Colligan RC, Pankratz VS, Weaver AL, Weber KJ, Mrazek DA, Jacobsen SJ: How common is attention-deficit/hyperactivity disorder? Incidence in a population-based birth cohort in Rochester, Minn. *Arch Pediatr Adolesc Med* 2002; 156(3):217-224
- Barkley RA: The prevalence of ADHD: Is it just a U.S. disorder? *The ADHD Report* 1998; 6(2):1-6
- Barkley RA: International consensus statement on ADHD. *Clin Child Fam Psychol Rev*. 2002; 5(2):89-111
- Bauermeister JJ, Alegria M, Bird HR, Rubio-Stipec M, Canino G: Are attentional-hyperactivity deficits unidimensional or multidimensional syndromes? Empirical findings from a community survey. *J Am Acad Child Adolesc Psychiatry* 1992; 31(3):423-431
- *Baumgaertel A, Wolraich ML, Dietrich M: Comparison of diagnostic criteria for attention deficit disorders in a German elementary school sample. *J Am Acad Child Adolesc Psychiatry* 1995; 34(5):629-638
- Beals J, Piasecki J, Nelson S, Jones M, Keane E, Dauphinais P, Shirt RR, Sack WH, Manson SM: Psychiatric disorder among American Indian adolescents: prevalence in Northern Plains youth. *J Am Acad Child Adolesc Psychiatry* 1997; 36(9):1252-1259
- Beals J, Novins DK, Whitesell NR, Spicer P, Mitchell CM, Manson SM: Prevalence of mental disorders and utilization of mental health services in two American Indian

- reservation populations: mental health disparities in a national context. *Am J Psychiatry* 2005; 162(9):1723-1732
- Beiser M, Dion R, Gotowiec A: The structure of attention-deficit and hyperactivity symptoms among native and non-native elementary school children. *J Abnorm Child Psychol* 2000; 28(5):425-437
- *Benjasuwantep B, Ruangdaraganon N, Visudhiphan P: Prevalence and clinical characteristics of attention deficit hyperactivity disorder among primary school students in Bangkok. *J Med Assoc Thai* 2002; 85(S4):1232-1240
- *Bergeron L, Valla JP, Breton JJ: Pilot study for the Quebec Child Mental Health survey: Part I. Measurement of prevalence estimates among six to 14 year olds. *Can J Psychiatry* 1992; 37(6):374-380
- *Bird HR, Canino G, Rubio-Stipec M, Gould MS, Ribera J, Sesman M, Woodbury M, Huertas-Goldman S, Pagan A, Sanchez-Lacay A, et al: Estimates of the prevalence of childhood maladjustment in a community survey in Puerto Rico. The use of combined measures. *Arch Gen Psychiatry* 1988; 45:1120-1126
- Bird HR: Epidemiology of childhood disorders in a cross-cultural context. *J Child Psychol Psychiatry* 1996; 37(1):35-49
- Bird HR: The diagnostic classification, epidemiology and cross-cultural validity of ADHD, in *Attention Deficit Hyperactivity Disorder: State of the Science—Best Practices*. Edited by Jensen PS, Cooper JR. Kingston, NJ, Civic Research Institute, 2002
- Boyle MH, Offord DR, Racine Y, Sanford M, Szatmari P, Fleming JE, Price-Munn N: Evaluation of the Diagnostic Interview for Children and Adolescents for use in general population samples. *J Abnorm Child Psychol* 1993; 21(6):663-681

- Boyle MH, Offord DR, Racine Y, Szatmari P, Fleming JE, Sanford M: Identifying thresholds for classifying childhood psychiatric disorder: issues and prospects. *J Am Acad Child Adolesc Psychiatry* 1996; 35(11):1440-1448
- Boyle MH, Offord DR, Racine YA, Szatmari P, Sanford M, Fleming JE: Adequacy of interviews vs checklists for classifying childhood psychiatric disorder based on parent reports. *Arch Gen Psychiatry* 1997; 54(9):793-799
- Brandenburg NA, Friedman RM, Silver SE: The epidemiology of childhood psychiatric disorders: prevalence findings from recent studies. *J Am Acad Child Adolesc Psychiatry* 1990; 29(1):76-83
- *Breton JJ, Bergeron L, Valla J, Berthiaume C, Gaudet N, Lambert J, St-Georges M, Houde L, Lepine S: Quebec Child Mental Health Survey: Prevalence of DSM-III-R mental health disorders. *J Child Psychol Psychiatry* 1999; 40(3):375-384
- Brito GN, Pinto RC, Lins MF: A behavioral assessment scale for attention deficit disorder in Brazilian children based on DSM-III-R criteria. *J Abnorm Child Psychol* 1995; 23(4):509-520
- Brodzinsky DM, Radice C, Huffman L, Merkler K: Prevalence of clinically significant symptomatology in a nonclinical sample of adopted and nonadopted children. *J Clin Child Psychol* 1987; 16(4):350-356
- Brown RT, Freeman WS, Perrin JM, Stein MT, Amler RW, Feldman HM, Pierce K, Wolraich ML: Prevalence and assessment of attention-deficit/hyperactivity disorder in primary care settings. *Pediatrics* 2001; 107(3):E43
- Brownell MD, Yogendran MS: Attention-deficit hyperactivity disorder in Manitoba children: medical diagnosis and psychostimulant treatment rates. *Can J Psychiatry* 2001; 46(3):264-272

Bu-Haroon A, Eapen V, Bener A: The prevalence of hyperactivity symptoms in the United Arab Emirates. *Nordic J Psychiatry* 1999; 53:439-442

Buitelaar & Van Engeland: Epidemiological approaches, in Sandberg & Barton, 1996.

Burd L, Klug MG, Coumbe MJ, Kerbeshian J: Children and adolescents with attention deficit-hyperactivity disorder: 1. prevalence and cost of care. *J Child Neurol* 2003; 18(8):555-561

*Bussing R, Zima BT, Gary FA, Garvan CW: Use of complementary and alternative medicine for symptoms of attention-deficit hyperactivity disorder. *Psychiatr Serv* 2002; 53(9):1096-1102

Bussing R, Zima BT, Gary FA, Mason DM, Leon CE, Sinha K, Garvan CW: Social networks, caregiver strain, and utilization of mental health services among elementary school students at high risk for ADHD. *J Am Acad Child Adolesc Psychiatry* 2003; 42(7):842-850

Bussing R, Gary FA, Mason DM, Leon CE, Sinha K, Garvan CW: Child temperament, ADHD, and caregiver strain: exploring relationships in an epidemiological sample. *J Am Acad Child Adolesc Psychiatry* 2003; 42(2):184-192

*Canino G, Shrout PE, Rubio-Stipec M, Bird HR, Bravo M, Ramirez R, Chavez L, Alegria M, Bauermeister JJ, Hohmann A, Ribera J, Garcia P, Martinez-Taboas A: The DSM-IV rates of child and adolescent disorders in Puerto Rico: prevalence, correlates, service use, and the effects of impairment. *Arch Gen Psychiatry* 2004; 61(1):85-93

Cantwell DP: Attention Deficit Disorder A Review of the Past 10 Years. *J Am Acad Child Adolesc Psychiatry* 1996; 35:978-987

- Cardo E, Servera-Barcelo M: The prevalence of attention deficit hyperactivity disorder. *Rev Neurol* 2005 January 15; 40(suppl 1):S11-S15
- *Carlson CL, Tamm L, Gaub M: Gender differences in children with ADHD, ODD, and co-occurring ADHD/ODD identified in a school population. *J Am Acad Child Adolesc Psychiatry* 1997; 36(12): 1706-1714
- Catala Angel M, Andres Carrasco M, Gomez-Beneyto M, Agueero JA: Validez actual de los criterios de Barkley para el diagnostico del Trastorno por Deficit de Atencion con Hiperactividad. (Current validity of Barkley's criteria for the diagnosis of attention deficit disorder with hyperactivity). *Rev Psiquiatr Infanto Juvenil* 1994;3:198-202
- Chawla PL, Sahasi G, Sundaram KR, Mehta MA: A study of prevalence and pattern of hyperactive syndrome in primary school children. *Indian J Psychiatry* 1981; 23(4):313-323
- Chiofalo N, Kirschbaum A, Fuentes A, Cordero ML, Madsen J: Prevalence of epilepsy in children of Melipilla, Chile. *Epilepsia* 1979; 20(3):261-266
- Cohen P: Comparison of DISC and K-SADS-P interviews of an epidemiological sample of children. *J Am Acad Child Adolesc Psychiatry* 1987; 26(5):662-667
- Cohen P, Cohen J, Kasen S, Velez CN et-al: An epidemiological study of disorders in late childhood and adolescence: I. Age- and gender-specific prevalence. *J Child Psychol Psychiatry* 1993; 34(6):851-867
- Cohen MJ, Riccio CA, Gonzalez JJ: Methodological differences in the diagnosis of attention-deficit hyperactivity disorder: Impact on prevalence. *J Emotion Behav Disord* 1994; 2(1):31-38
- Connel HM: *Aust Paediatr J* 1982; 18:177-180

- Connell HM, Irvine L, Rodney J: The prevalence of psychiatric disorder in rural school children. *Aust N Z J Psychiatry* 1982; 16(2): 43-46
- Connor DF: Preschool attention deficit hyperactivity disorder: A review of prevalence, diagnosis, neurobiology, and stimulant treatment. *J Dev Behav Pediatr* 2002; 23(S1): S1-S9.
- *Cornejo JW, Osio O, Sanchez Y et al: Prevalence of attention deficit hyperactivity disorder in Colombian children and teenagers. (in Spanish). *Rev Neurol* 2005;40(12):716-722
- *Costello EJ, Angold A, Burns BJ, Stangl DK, Tweed DL, Erkanli A, Worthman CM: The Great Smoky Mountains Study of Youth. Goals, design, methods, and the prevalence of DSM-III-R disorders. *Arch Gen Psychiatry* 1996; 53(12):1129-1136
- Costello EJ, Keeler GP, Angold A: Poverty, race/ethnicity, and psychiatric disorder: a study of rural children. *Am J Public Health* 2001; 91(9):1494-1498
- Costello EJ, Mustillo S, Erkanli A, Keeler G, Angold A: Prevalence and development of psychiatric disorders in childhood and adolescence. *Arch Gen Psychiatry* 2003; 60(8):837-844
- Crystal DS, Ostrander R, Chen RS, August GJ: Multimethod assessment of psychopathology among DSM-IV subtypes of children with attention-deficit/hyperactivity disorder: self-, parent, and teacher reports. *J Abnorm Child Psychol* 2001;29(3):189-205
- Cuffe SP, McKeown RE, Jackson KL, Addy CL, Abramson R, Garrison CZ: Prevalence of attention-deficit/hyperactivity disorder in a community sample of older adolescents. *J Am Acad Child Adolesc Psychiatry* 2001; 40(9):1037-1044

- Cuffe SP, Moore CG, McKeown RE: Prevalence and correlates of ADHD symptoms in the national health interview survey. *J Atten Disord* 2005; 9(2):392-401
- Curran S, Rijdsdijk F, Martin N, Marusic K, Asherson P, Taylor E, Sham P: CHIP: Defining a dimension of the vulnerability to attention deficit hyperactivity disorder (ADHD) using sibling and individual data of children in a community-based sample. *Am J Med Genet* 2003; 119B(1):86-97
- Daley CE, Griffin H, Onwuegbuzie AJ: Prevalence and identification of attention-deficit hyperactivity disorder in a mid-southern state. *ResSchools* 1997; 4(2):49-56
- Daley CE, Onwuegbuzie AJ, Griffin H: Attention-deficit/hyperactivity disorder: relations between prevalence rate and school district size, diagnostic method, and referral process. *Psychol Rep* 1998; 83(2):593-594
- Danckaerts M, Heptinstall E, Chadwick O, Taylor E: Self-report of attention deficit and hyperactivity disorder in adolescents. *Psychopathology* 1999; 32(2):81-92
- de Jong PF: Short-term trends in Dutch children's attention problems. *Eur Child Adolesc Psychiatry* 1997; 6(2):73-80
- *Deivasigamani TR: Psychiatric morbidity in primary school children: an epidemiological study. *Indian J Psychiatry* 1990; 32:235-240
- Disney ER, Elkins IJ, McGue M, Iacono WG: Effects of ADHD, conduct disorder, and gender on substance use and abuse in adolescence. *Am J Psychiatry* 1999; 156(10):1515-1521
- Duarte C, Hoven C, Berganza C, Bordin I, Bird H, Miranda CT: Child mental health in Latin America: present and future epidemiologic research. *Int J Psychiatry Med* 2003; 33(3):203-222

- Dulcan M: Practice parameters for the assessment and treatment of children, adolescents, and adults with attention-deficit/hyperactivity disorder. *American Academy of Child and Adolescent Psychiatry. J Am Acad Child Adolesc Psychiatry* 1997; 36(10S):85S-121S
- DuPaul GJ, Schaughency EA, Weyandt LL, Tripp G, Kiesner J, Ota K, Stanish H: Self-report of ADHD symptoms in university students: Cross-gender and cross-national prevalence. *J Learn Disabil* 2001; 34(4):370-379
- *Eapen V, al-Gazali L, Bin-Othman S, Abou-Saleh M: Mental health problems among schoolchildren in United Arab Emirates: prevalence and risk factors. *J Am Acad Child Adolesc Psychiatry* 1998; 37(8):880-886
- *Eapen V, Jakka ME, Abou-Saleh MT: Children with psychiatric disorders: the A1 Ain Community Psychiatric Survey. *Can J Psychiatry* 2003; 48(6):402-407
- Elia J, Ambrosini PJ, Rapoport JL: Treatment of attention-deficit-hyperactivity disorder. *NEJM* 1999; 340(10):780-788
- *Ersan EE, Dogan O, Dogan S, Sumer H: The distribution of symptoms of attention-deficit/hyperactivity disorder and oppositional defiant disorder in school age children in Turkey. *Eur Child Adolesc Psychiatry* 2004; 13(6):354-361
- *Essau CA, Groen G, Conradt J, Turbanisch U, Petermann F: Frequency, comorbidity and psychosocial correlates of attention-deficit/hyperactivity disorder. Results of a Bremen adolescent study. (in German). *Fortschr Neurol Psychiatr* 1999; 67(7):296-305
- *Esser G, Schmidt MH, Woerner W: Epidemiology and course of psychiatric disorders in school-age children: results of a longitudinal study. *J Child Psychol Psychiatry* 1990; 31(2):243-263

- Evans SW, Allen J, Moore S, Strauss V: Measuring symptoms and functioning of youth with ADHD in middle schools. *J Abnorm Child Psychol* 2005 December; 33(6):695-706
- Faraone SV, Biederman J, Friedman D: Validity of DSM-IV Subtypes of Attention-Deficit/Hyperactivity Disorder: A Family Study Perspective. *J Am Acad Child Adolesc Psychiatry* 2000; 39:300-307
- Faraone SV, Sergeant J, Gillberg C, Biederman J: The worldwide prevalence of ADHD: is it an American condition? *World Psychiatry* 2003; 2(2):104-113
- Feehan M, McGee R, Williams SM: Mental health disorders from age 15 to age 18 years. *J Am Acad Child Adolesc Psychiatry* 1993; 32(6):1118-1126
- *Fergusson DM, Horwood LJ, Lynskey MT. Prevalence and comorbidity of DSM-III-R diagnosis in a birth cohort of 15 year olds. *J Am Acad Child Adolesc Psychiatry* 1993; 32(6):1127-1134
- Fergusson DM, Horwood LJ: Predictive validity of categorically and dimensionally scored measures of disruptive childhood behaviors. *J Am Acad Child Adolesc Psychiatry* 1995; 34(4): 477-485
- *Fleitlich-Bilik BW: The prevalence of psychiatric disorders in 7-14 year olds in the South East of Brazil (dissertation). London, Institute of Psychiatry, 2002.
- *Fombonne E. The Chartres Study: I. Prevalence of psychiatric disorders among French school-age children. *Br J Psychiatry* 1994; 164:69-79
- Fonseca AC, Simoes A, Rebelo JA, Ferreira JAA: Antisocial behaviour and hyperactivity in Portuguese school children. *Issues Criminol Legal Psychol* 1995; 24:35-41

*Ford T, Goodman R, Meltzer H: The British Child and Adolescent Mental Health Survey 1999: the prevalence of DSM-IV disorders. *J Am Acad Child Adolesc Psychiatry* 2003; 42(10):1203-1211

Foreman DM, Foreman D, Prendergast M, Minty B: Is clinic prevalence of ICD-10 hyperkinesis underestimated? Impact of increasing awareness by a questionnaire screen in an UK clinic. *Eur Child Adolesc Psychiatry* 2001; 10(2):130-134

*Francis G: A prevalence study: ADHD in elementary school children. *Can J School Psychol* 1999; 9(1):16-27

Freire AC, Ponde MP: A pilot study of prevalence of hyperactivity and attention deficit disorder in scholar children in Salvador. *Arq Neuropsiquiatr* 2005;63(2B):474-478

Fristad MA, Glickman AR, Verducci JS, Teare M, Weller EB, Weller RA. Study V: Children's Interview for Psychiatric Syndromes (ChIPS): psychometrics in two community samples. *J Child Adolesc Psychopharmacol* 1998; 8(4):237-245

Fristad MA, Cummins J, Verducci JS, Teare M, Weller EB, Weller RA: Study IV: concurrent validity of the DSM-IV revised Children's Interview for Psychiatric Syndromes (ChIPS). *J Child Adolesc Psychopharmacol* 1998; 8(4):227-236

Gada M: A study of prevalence and pattern of attention deficit disorder with hyperactivity in primary school children. *Indian J Psychiatry* 1987; 29(2):113-118

*Gadow KD, Nolan EE, Litcher L, Carlson GA, Panina N, Golovakha E, Sprafkin J, Bromet EJ: Comparison of attention-deficit/hyperactivity disorder symptom subtypes in Ukrainian schoolchildren. *J Am Acad Child Adolesc Psychiatry* 2000; 39(12):1520-1527

Gadow KD, Sprafkin J, Nolan EE: DSM-IV symptoms in community and clinic preschool children. *J Am Acad Child Adolesc Psychiatry* 2001; 40(12):1383-1392

- Gadow KD, Nolan EE, Sprafkin J, Schwartz J: Tics and psychiatric comorbidity in children and adolescents. *Dev Med Child Neurol* 2002; 44(5):330-338
- *Gallucci F, Bird HR, Berardi C, Gallai V, Pfanner P, Weinberg A: Symptoms of attention-deficit hyperactivity disorder in an Italian school sample: findings of a pilot study. *J Am Acad Child Adolesc Psychiatry* 1993; 32(5):1051-1058
- Garland AF, Hough RL, McCabe KM, Yeh M, Wood PA, Aarons GA: Prevalence of psychiatric disorders in youths across five sectors of care. *J Am Acad Child Adolesc Psychiatry* 2001; 40(4):409-418
- *Gau SS, Chong MY, Chen TH, Cheng AT: A 3-year panel study of mental disorders among adolescents in Taiwan. *Am J Psychiatry*. 2005 ;162(7):1344-1350
- *Gaub M, Carlson CL: Behavioral characteristics of DSM-IV ADHD subtypes in a school-based population. *J Abnorm Child Psychol* 1997; 25(2):103-111
- Gillberg C, et al: Perceptual, motor and attentional deficits in six-year-old children: Epidemiological aspects. *J Child Psychol Psychiatry* 1982; 23(2):131-144
- Gillberg C, Carlstrom G, Rasmussen P: Hyperkinetic disorders in seven-year-old children with perceptual, motor and attentional deficits. *J Child Psychol Psychiatry* 1983; 24(2):233-246
- Gimpel GA, Kuhn BR: Maternal report of attention deficit hyperactivity disorder symptoms in preschool children. *Child Care Health Dev* 2000; 26(3):163-176
- Gingerich KJ, Turnock P, Litfin JK, Rosen LA: Diversity and attention deficit hyperactivity disorder. *J Clin Psychol* 1998; 54(4):415-426
- Goldman LS, Genel M, Bezman RJ, Slanetz PJ: Diagnosis and treatment of attention deficit/hyperactivity disorder in children and adolescents. Council on Scientific Affairs, American Medical Association. *JAMA* 1998;279(14):1100-7.

- *Gomez R, Harvey J, Quick C, Scharer I, Harris G: DSM-IV AD/HD: confirmatory factor models, prevalence, and gender and age differences based on parent and teacher ratings of Australian primary school children. *J Child Psychol Psychiatry* 1999; 40(2):265-274
- *Gomez-Beneyto M, Bonet A, Catala MA, Puche E, Vila V: Prevalence of mental disorders among children in Valencia, Spain. *Acta Psychiatr Scand* 1994; 89(5):352-357
- Goodman R, Stevenson J: A twin study of hyperactivity—I. An examination of hyperactivity scores and categories derived from Rutter teacher and parent questionnaires. *J Child Psychol Psychiatry* 1989; 30(5):671-689
- Goodman R, Ford T, Simmons H, Gatward R, Meltzer H: Using the Strengths and Difficulties Questionnaire (SDQ) to screen for child psychiatric disorders in a community sample. *Br J Psychiatry* 2000; 177:534-539
- *Goodman R, Ford T, Richards H, Gatward R, Meltzer H: The Development and Well-Being Assessment: description and initial validation of an integrated assessment of child and adolescent psychopathology. *J Child Psychol Psychiatry* 2000; 41(5):645-655
- *Goodman R, Slobodskaya H, Knyazev G: Russian child mental health - a cross-sectional study of prevalence and risk factors. *Eur Child Adolesc Psychiatry* 2005; 14(1):28-33
- *Goodman R, Neves dos Santos D, Robatto Nunes AP, Pereira de Miranda D, Fleitlich-Bilyk B, Almeida Filho N: The Ilha de Mare study: a survey of child mental health problems in a predominantly African-Brazilian rural community. *Soc Psychiatry Psychiatr Epidemiol* 2005; 40(1):11-17

- *Graetz BW, Sawyer MG, Hazell PL, Arney F, Baghurst P: Validity of DSM-IVADHD subtypes in a nationally representative sample of Australian children and adolescents. *J Am Acad Child Adolesc Psychiatry* 2001; 40(12):1410-1417
- Greenhill LL: Diagnosing attention-deficit/hyperactivity disorder in children. *J Clin Psychiatry* 1998; 59 (S7):31-41
- *Guardiola A, Fuchs FD, Rotta NT: Prevalence of attention-deficit hyperactivity disorders in students. Comparison between DSM-IV and neuropsychological criteria. *Arq Neuropsiquiatr* 2000;58(2B):401-407
- Guevara J, Lozano P, Wickizer T, Mell L, Gephart H: Psychotropic medication use in a population of children who have attention-deficit/hyperactivity disorder. *Pediatrics* 2002; 109(5):733-739
- *Hackett R, Hackett L, Bhakta P, Gowers S: The prevalence and associations of psychiatric disorder in children in Kerala, South India. *J Child Psychol Psychiatry* 1999; 40(5):801-807
- Halfon N, Newacheck PW: Prevalence and impact of parent-reported disabling mental health conditions among U.S. children. *J Am Acad Child Adolesc Psychiatry* 1999; 38(5):600-609
- Hannesdottir H, Einarisdottir S: The Icelandic Child Mental Health Study: an epidemiological study of Icelandic children 2-18 years of age using the Child Behaviour Checklist as a screening instrument. *Eur Child Adolesc Psychiatry* 1995; 4(4):237-248
- Heiligenstein E, Conyers LM, Berns AR, Miller MA, Smith MA: Preliminary normative data on DSM-IV attention deficit hyperactivity disorder in college students. *J Am Coll Health* 1998; 46(4):185-188

- Hechtman L: Assessment and diagnosis of attention-deficit/hyperactivity disorder. *Child Adolesc Psychiatr Clin N Am* 2000; 9(3):481-498
- Hernandez A, Plant EA, Sachs-Ericsson N, Joiner TE Jr: Mental health among Hispanics and Caucasians: risk and protective factors contributing to prevalence rates of psychiatric disorders. *J Anxiety Disord* 2005; 19(8):844-860
- Hewitt JK, Silberg JL, Rutter M, Simonoff E, Meyer JM, Maes H, Pickles A, Neale MC, Loeber R, Erickson MT, Kendler KS, Heath AC, Truett KR, Reynolds CA, Eaves LJ: Genetics and developmental psychopathology: 1. Phenotypic assessment in the Virginia Twin Study of Adolescent Behavioral Development. *J Child Psychol Psychiatry* 1997; 38(8):943-963.
- Holborow PL, Berry P, Elkins J: Prevalence of hyperkinesis: a comparison of three rating scales. *J Learn Disabil* 1984; 17(7):411-417
- Holowenko H, Pashute K: ADHD in schools: A survey of prevalence and 'coherence' across a local UK population. *Education Psychol Practice* 2000; 16(2):181-190
- Houghton F, Kelleher K: Diagnostic criteria used to assess ADHD/hyperkinetic disorder. *Irish J Psychol Med* 2001; 18(4):142-143
- Hudziak JJ, Heath AC, Madden PF, Reich W, Bucholz KK, Slutske W, Bierut LJ, Neuman RJ, Todd RD: Latent class and factor analysis of DSM-IV ADHD: a twin study of female adolescents. *J Am Acad Child Adolesc Psychiatry* 1998; 37(8):848-857
- Jensen PS, Salzberg AD, Richters JE, Watanabe HK: Scales, diagnoses, and child psychopathology: I. CBCL and DISC relationships. *J Am Acad Child Adolesc Psychiatry* 1993; 32(2):397-406

- *Jensen PS, Watanabe HK, Richters JE, Cortes R, et-al: Prevalence of mental disorder in military children and adolescents: Findings from a two-stage community survey. *J Am Acad Child Adolesc Psychiatry* 1995;34(11):1514-1524
- Jensen PS, Kettle L, Roper MT, Sloan MT, Dulcan MK, Hoven C, Bird HR, Bauermeister JJ, Payne JD: Are stimulants overprescribed? Treatment of ADHD in four U.S. communities. *J Am Acad Child Adolesc Psychiatry* 1999; 38(7):797-804
- Kadesjo B, Gillberg C: Attention deficits and clumsiness in Swedish 7-year-old children. *Development Med Child Neurol* 1998; 40(12):796-804
- *Kadesjo B, Gillberg C: The comorbidity of ADHD in the general population of Swedish school-age children. *J Child Psychol Psychiatry* 2001; 42(4):487-492
- *Kanbayashi Y, Nakata Y, Fujii K, Kita M, Wada K: ADHD-related behavior among non-referred children: parents' ratings of DSM-III-R symptoms. *Child Psychiatry Hum Dev* 1994; 25(1):13-29
- *Kashala E, Tylleskar T, Elgen I, Kayembe K, Sommerfelt K. Attention deficit and hyperactivity disorder among school children in Kinshasa, Democratic Republic of Congo. *Afr Health Sci* 2005; 5(3):172-181
- *Kashani J, Beck NC, Hoepfer EW, Fallahi C, Corcoran CM, McAllister JA, Rosenberg TK, Reid JC: Psychiatric disorders in a community sample of adolescents. *Am J Psychiatry* 1987; 144:584-589
- Kasmini K, Kyaw O, Krishnaswamy S, Ramli H, Hassan S: A prevalence survey of mental disorders among children in a rural Malaysian village. *Acta Psychiatr Scand* 1993; 87(4):253-257

- Keenan K, Shaw DS, Walsh B, Delliquadri E, Giovannelli J: DSM-III-R Disorders in preschool children from low-income families. *J Am Acad Child Adolesc Psychiatry* 1997; 36:620-627
- King C, Young RD: Attentional deficits with and without hyperactivity: teacher and peer perceptions. *J Abnorm Child Psychol* 1982; 10(4):483-495
- Kong DSG: Psychiatric disorders in pre-schoolers. *Singapore Med J* 1995; 36:318-321
- *Kroes M, Kalff AC, Kessels AG, Steyaert J, Feron FJ, van Someren AJ, Hurks PP, Hendriksen JG, van Zeben TM, Rozendaal N, Crolla IF, Troost J, Jolles J, Vles JS: Child psychiatric diagnoses in a population of Dutch schoolchildren aged 6 to 8 years. *J Am Acad Child Adolesc Psychiatry* 2001; 40 (12):1401-1409
- *Kurlan R, Como PG, Miller B, Palumbo D, Deeley C, Andresen EM, Eapen S, McDermott MP: The behavioral spectrum of tic disorders: a community-based study. *Neurology* 2002; 59(3):414-420
- Lambert NM, Sandoval J, Sassone D: Prevalence of hyperactivity in elementary school children as a function of social system definers. *Am J Orthopsychiatry* 1978; 48(3):446-463
- Lambert NM, Sandoval J, Sassone D: Prevalence of treatment regimens for children considered to be hyperactive. *Am J Orthopsychiatry* 1979; 49(3):482-490
- Lambert NM, Hartsough CS: The measurement of attention deficit disorder with behavior ratings of parents. *Am J Orthopsychiatry* 1987; 57(3):361-370
- *Landgren M, Pettersson R, Kjellman B, Gillberg C: ADHD, DAMP and other neurodevelopmental/psychiatric disorders in 6-year-old children: epidemiology and co-morbidity. *Dev Med Child Neurol* 1996; 38(10):891-906

- *Larsson JO, Lichtenstein P, Fried I, El-Sayed E, Rydelius PA: Parents' perception of mental development and behavioural problems in 8 to 9-year-old children. *Acta Paediatr* 2000; 89(12):1469-1473
- Lavigne JV, Gibbons RD, Christoffel KK, Arend R, Rosenbaum D, Binns H, Dawson N, Sobel H, Isaacs C: Prevalence rates and correlates of psychiatric disorders among preschool children. *J Am Acad Child Adolesc Psychiatry* 1996; 35(2):204-214
- LeFever GB, Dawson KV, Morrow AL: The extent of drug therapy for attention deficit-hyperactivity disorder among children in public schools. *Am J Public Health* 1999; 89(9):1359-1364
- *Leung PW, Luk SL, Ho TP, Taylor E, Mak FL, Bacon-Shone J: The diagnosis and prevalence of hyperactivity in Chinese schoolboys. *Br J Psychiatry* 1996; 168(4):486-496
- Levy F, Hay DA, McStephen M, Wood C, Waldman I: Attention-deficit hyperactivity disorder: a category or a continuum? Genetic analysis of a large-scale twin study. *J Am Acad Child Adolesc Psychiatry* 1997; 36(6):737-744
- *Lewinsohn PM, Hops H, Roberts RE, Seeley JR, Andrews JA: Adolescent psychopathology: I. Prevalence and incidence of depression and other DSM-III-R disorders in high school students. *J Abnorm Psychol* 1993; 102(1):133-144
- Links PS: Community surveys of the prevalence of childhood psychiatric disorders: a review. *Child Dev* 1983; 54(3): 531-548
- Linna SL, Moilanen I: The Finnish National Epidemiological Study of Child Psychiatric Disorders. Results from prevalence screening in northern Finland. *Arctic Med Res* 1994; 53(suppl)1:7-11

- *Loeber R, Farrington DP, Stouthamer LM, Moffitt TE; Caspi A, Lynam D: Male mental health problems, psychopathy, and personality traits: Key findings from the first 14 years of the Pittsburgh Youth Study. *Clin Child Fam Psychol Rev* 2001; 4(4):273-297
- *Lynch F, Mills C, Daly I, Fitzpatrick C: Challenging times: prevalence of psychiatric disorders and suicidal behaviours in Irish adolescents. *J Adolesc* 2006; 29(4):555-573
- *MacLeod RJ, McNamee JE, Boyle MH, Offord DR, Friedrich M: Identification of childhood psychiatric disorder by informant: comparisons of clinic and community samples. *Can J Psychiatry* 1999; 44(2):144-150
- Magnusson P, Smari J, Gretarsdottir H, Prandardottir H: Attention-deficit/hyperactivity symptoms in Icelandic schoolchildren: assessment with the Attention Deficit/Hyperactivity Rating Scale-IV. *Scand J Psychol* 1999; 40(4):301-306
- *Malhotra S, Kohli A, Arun P: Prevalence of psychiatric disorders in school children in Chandigarh, India. *Indian J Med Res* 2002; 116:21-28
- Mann EM, Ikeda Y, Mueller CW, Takahashi A, Tao KT, Humris E, Li BL, Chin D: Cross-cultural differences in rating hyperactive-disruptive behaviors in children. *Am J Psychiatry* 1992; 149(11):1539-1542
- Mattison RE, Gadow KD, Sprafkin J, Nolan EE: Discriminant validity of a DSM-IV-based teacher checklist: comparison of regular and special education students. *Behav Disord* 2002; 27(4):304-316
- McArdle P, O'Brien G, Kolvin I: Hyperactivity: prevalence and relationship with conduct disorder. *J Child Psychol Psychiatry* 1995; 36(2):279-303

- McArdle P, O'Brien G, Kolvin I: Is there a comorbid relationship between hyperactivity and emotional psychopathology? *Eur Child Adolesc Psychiatry* 1997; 6(3):142-150
- *McArdle P, Prosser J, Kolvin I: Prevalence of psychiatric disorder: with and without psychosocial impairment. *Eur Child Adolesc Psychiatry* 2004; 13(6):347-353
- McDermott PA: A nationwide study of developmental and gender prevalence for psychopathology in childhood and adolescence. *J Abnorm Child Psychol* 1996; 24(1):53-66
- McDermott PA, Spencer MB: Racial and social class prevalence of psychopathology among school-age youth in the United States. *Youth and Society* 1997; 28(4):387-414
- McDonnell MA, Glod C: Prevalence of psychopathology in preschool-age children. *J Child Adolesc Psychiatr Nurs* 2003; 16(4):141-152
- McGee R, Feehan M, Williams S, Partridge F, Silva PA, Kelly J: DSM-III disorders in a large sample of adolescents. *J Am Acad Child Adolesc Psychiatry* 1990; 29(4):611-619
- McGee R, Feehan M, Williams S, Anderson J: DSM-III disorders from age 11 to age 15 years. *J Am Acad Child Adolesc Psychiatry* 1992; 31(1):50-59
- McGee R, Stanton WR, Sears MR: Allergic disorders and attention deficit disorder in children. *J Abnorm Child Psychol* 1993; 21(1):79-88
- *McKelvey RS, Sang DL, Baldassar L, Davies L, Roberts L, Cutler N: The prevalence of psychiatric disorders among Vietnamese children and adolescents. *Med J Aust* 2002 21; 177(8):413-417

- Meltzer H, Gatward R, Goodman R, Ford T: Mental health of children and adolescents in Great Britain. *Int Rev Psychiatry* 2003; 15:185-187
- *Merrell C, Tymms PB: Inattention, hyperactivity and impulsiveness: their impact on academic achievement and progress. *Br J Educ Psychol* 2001; 71:43-56
- *Meyer A: Attention deficit/hyperactivity disorder among North Sotho speaking primary school children in South Africa: Prevalence and sex ratios. *J Psychol Africa* 1998; 8(2):186-195
- *Meyer A, Ellertsen DR, Sundet JM, Tshifularo J, Sagvolden T: Cross-cultural similarities in ADHD-like behaviour amongst South African primary school children. *South African J Psychol* 2004; 34(1):122-138
- *Miller T, El-Masri M, Allodi F, Qouta S: Emotional and behavioural problems and trauma exposure of school-age Palestinian children in Gaza: some preliminary findings. *Med Confl Surviv* 1999; 15(4):368-378
- Moilanen I, Almqvist F, Piha J, Rasenen E, Tamminen T: An epidemiological survey of child psychiatry in Finland. *Nordisk Psykiatrisk Tidsskrift* 1988; 42(S18):9-11
- *Montiel-Nava C, Pena JA, Lopez M, Salas M, Zurga JR, Montiel-Barbero I, Pirela D, Cardozo JJ: Estimations of the prevalence of attention deficit hyperactivity disorder in Marabino children. (in Spanish). *Rev Neurol* 2002; 35(11):1019-1024
- *Montiel-Nava C, Pena JA, Montiel Barbero I: Epidemiological data about attention deficit hyperactivity disorder in a sample of Marabino children. (in Spanish). *Rev Neurol* 2003; 37(9):815-819
- *Mugnaini D, Masi G, Brovedani P, Chelazzi C, Matas M, Romagnoli C, Zuddas A: Teacher reports of ADHD symptoms in Italian children at the end of first grade. *Eur Psychiatry* 2006; 21(6):419-426

- *Mullick MS, Goodman R: The prevalence of psychiatric disorders among 5-10 year olds in rural, urban and slum areas in Bangladesh: an exploratory study. *Soc Psychiatry Psychiatr Epidemiol* 2005; 40(8):663-671
- Morita H, Suzuki M, Suzuki S, Kamoshita S: Psychiatric disorders in Japanese secondary school children. *J Child Psychol Psychiatry* 1993; 34(3):317-332
- Mulatu MS: Prevalence and risk factors of psychopathology in Ethiopian children. *J Am Acad Child Adolesc Psychiatry* 1995; 34(1):100-109
- Murphy P: The concordance between self-ratings of childhood and current symptoms of attention deficit hyperactivity disorder. *J Nerv Ment Dis* 2003; 191(5):341-343
- Myers JK, Weissman MM, Tischler GL, Holzer CE 3rd, Leaf PJ, Orvaschel H, Anthony JC, Boyd JH, Burke JD, Kramer M Jr, et al: Six-month prevalence of psychiatric disorders in three communities 1980 to 1982. *Arch Gen Psychiatry* 1984; 41:959-967
- Nadder TS, Silberg JL, Eaves LJ, Maes HH, Meyer JM: Genetic effects on ADHD symptomatology in 7- to 13-year-old twins: results from a telephone survey. *Behav Genet* 1998; 28(2):83-99
- Neuman RJ, Heath A, Reich W, Bucholz KK, Madden PAF, Sun L, Todd RD, Hudziak JJ: Latent class analysis of ADHD and comorbid symptoms in a population sample of adolescent female twins. *J Child Psychol Psychiatry* 2001; 42(7):933-942
- Neuman RJ, Sitdhiraksa N, Reich W, et al: Estimation of prevalence of DSM-IV and latent class-defined ADHD subtypes in a population-based sample of child and adolescent twins. *Twin Res Hum Genet* 2005; 8(4):392-401

- *Newcorn JH, Halperin JM, Healey JM, O'Brien JD, Pascualvaca DM, Wolf LE, Morganstein A, Sharma V, Young JG: Are ADDH and ADHD the same or different? *J Am Acad Child Adolesc Psychiatry* 1989; 28(5):734-738
- Newcorn JH, Halperin JM, Schwartz S, Pascualvaca D, Wolf L, Schmeidler J, Sharma V: Parent and teacher ratings of attention-deficit hyperactivity disorder symptoms: implications for case identification. *J Dev Behav Pediatr* 1994; 15(2):86-91
- Newman DL, Moffitt TE, Caspi A, Magdol L, Silva PA, Stanton WR: Psychiatric disorder in a birth cohort of young adults: prevalence, comorbidity, clinical significance, and new case incidence from ages 11 to 21. *J Consult Clin Psychol* 1996; 64(3):552-562
- Nolan EE, Gadow KD, Sprafkin J: Teacher reports of DSM-IV ADHD, ODD, CD symptoms in schoolchildren. *J Am Acad Child Adolesc Psychiatry* 2001; 40(2):241-249
- O'Brien LM, Holbrook CR, Mervis CB, Klaus CJ, Bruner JL, Raffield TJ, Rutherford J, Mehl RC, Wang M, Tuell A, Hume BC, Gozal D: Sleep and neurobehavioral characteristics of 5- to 7-year-old children with parentally reported symptoms of attention-deficit/hyperactivity disorder. *Pediatrics* 2003; 111(3):554-556
- O'Leary KD, Vivian D, Nisi A: Hyperactivity in Italy. *J Abnorm Child Psychol* 1985; 13(4):485-500
- Offord DR: Child psychiatric disorders: Prevalence and perspectives. *Psychiatr Clin North Am* 1985; 8(4):637-652
- Offord DR, Boyle MH, Szatmari P, Rae-Grant NI, et-al: Ontario Child Health Study: II. Six-month prevalence of disorder and rates of service utilization. *Arch Gen Psychiatry* 1987; 44(9):832-836

- Offord DR, Boyle MH, Racine Y: Ontario Child Health Study: Correlates of disorder. *J Am Acad Child Adolesc Psychiatry* 1989; 28(6):856-860
- Orvaschel H, Lewinsohn PM, Seeley JR: Continuity of psychopathology in a community sample of adolescents. *J Am Acad Child Adolesc Psychiatry* 1995; 34(11):1525-1535
- *Owens J, Hoza B: Diagnostic utility of DSM-IV-TR symptoms in the prediction of DSM-IV-TR ADHD subtypes and ODD. *J Atten Disord* 2003; 7(1):11-27
- Pavuluri MN, Luk SL, Clarkson J, McGee RA: community study of preschool behaviour disorder in New Zealand. *Aust N Z J Psychiatry* 1995; 29(3):454-462
- Pena JA, Montiel Nava C: The attention deficit hyperactivity disorder myth or reality? (in Spanish). *Rev Neurol* 2003; 36(2):173-179
- Pelham WE Jr, Gnagy EM, Greenslade KE, Milich R: Teacher ratings of DSM-III-R symptoms for the disruptive behavior disorders. *J Am Acad Child Adolesc Psychiatry* 1992; 31(2):210-218
- Peterson BS, Pine DS, Cohen P, Brook JS: Prospective, longitudinal study of tic, obsessive-compulsive, and attention-deficit/hyperactivity disorders in an epidemiological sample. *J Am Acad Child Adolesc Psychiatry* 2001; 40(6):685-695
- Pillow DR, Pelham WE Jr, Hoza B, Molina BS, Stultz CH: Confirmatory factor analyses examining attention deficit hyperactivity disorder symptoms and other childhood disruptive behaviors. *J Abnorm Child Psychol* 1998; 26(4):293-309
- Pineda DA, Kamphaus RW, Mora O, Restrepo MA, Puerta IC, Palacio LG, Jimenez I, ejia S, Garcia M, Arango JC, Jimenez ME, Lopera F, Adams M, Arcos M, Velasquez F, Lopez LM, Bartolino NE, Giraldo M, Garcia A, Valencia C, Vallejo LE, Holguin A: A system of multidimensional behavior assessment: a scale for parents

of children from 6 to 11 years of age. (Colombian version). (in Spanish). *Rev Neurol* 1999; 28(7):672-681

*Pineda DA, Ardila A, Rosselli M, Arias BE, Henao GC, Gómez LF, Mejia SE, Miranda ML: Prevalence of attention-deficit/hyperactivity disorder symptoms in 4- to 17-year-old children in the general population. *J Abnorm Child Psychol* 1999; 27(6):455-462

Pineda DA, Henao GC, Puerta IC, Mejia SE, Gomez LF, Miranda ML, Rosselli M, Ardila A, Restrepo MA, Murrelle L: The use of brief questionnaire in the diagnosis of attention deficit. Study group of the Manizales University Foundation. *Rev Neurol* 1999; 28(4):365-372

Pineda DA, Lopera F, Henao GC, Palacio JD, Castellanos FX; Grupo de Investigacion Fundema: Confirmation of the high prevalence of attention deficit disorder in a Colombian community. *Rev Neurol* 2001; 32(3):217-222

Pineda DA, Lopera F, Palacio JD, Ramirez D, Henao GC. Prevalence estimations of attention-deficit/hyperactivity disorder: differential diagnoses and comorbidities in a Colombian sample. *Int J Neurosci* 2003; 113(1):49-71

*Pino P, Mojarro-Praxedes M: Trastornos hipercineticos: estudio epidemiologico en doble fase de una poblacion sevillana. *Hyperkinetic D disorders: double-phase epidemiological study of a population from Sevilla.* (in Spanish). *An Psiquiatria* 2001; 17(6):265-270

Pino P, Mojarro-Praxedes MD: Utilidad de la entrevista PACS para el estudio epidemiologico de los trastornos hipercineticos: usefulness of the PACS interview for the epidemiological study of hyperkinetic disorders. (in Spanish). *An Psiquiatria* 2001; 17(6):271-282

- Pino P, Mojarro-Praxedes MD: Transtornos hipercinéticos. Estudio epidemiológico en doble fase de una población sevillana. hyperkinetic disorders: double-phase epidemiological study of a population from Sevilla. (in Spanish). *An Psiquiatria* 1993; 9(7):306-311
- Power TJ, Costigan TE, Leff SS, Eiraldi RB, Landau S: Assessing ADHD across settings: contributions of behavioral assessment to categorical decision making. *Clin Child Psychol* 2001; 30(3):399-412
- Prendergast M, Taylor E, Rapoport JL, Bartko J, Donnelly M, Zametkin A, Ahearn MB, Dunn G, Wieselberg HM: The diagnosis of childhood hyperactivity. A U.S.-U.K. cross-national study of DSM-III and ICD-9. *J Child Psychol Psychiatry* 1988; 29(3):289-300
- *Puura K, Almqvist F, Tamminen T, Piha J, Rasanen E, Kumpulainen K, Moilanen I, Koivisto AM: Psychiatric disturbances among prepubertal children in southern Finland. *Soc Psychiatry Psychiatr Epidemiol* 1998; 33(7):310-318
- Rasmussen ER, Neuman RJ, Heath AC, Levy F, Hay DA, Todd RD: Replication of the latent class structure of Attention-Deficit/Hyperactivity Disorder (ADHD) subtypes in a sample of Australian twins. *J Child Psychol Psychiatry* 2002; 43(8):1018-1028
- Rasmussen ER, Todd RD, Neuman RJ, Heath AC, Reich W, Rohde LA: Comparison of male adolescent-report of attention-deficit/hyperactivity disorder (ADHD) symptoms across two cultures using latent class and principal components analysis. *J Child Psychol Psychiatry* 2002; 43(6):797-805

- Reid R, DuPaul GJ, Power TJ, Anastopoulos AD, Rogers-Adkinson D, Noll MB, Riccio C:
Assessing culturally different students for attention deficit hyperactivity disorder
using behavior rating scales. *J Abnorm Child Psychol* 1998; 26(3):187-198
- Reinherz HZ, Giaconia RM, Lefkowitz ES, Pakiz B, Frost AK: Prevalence of psychiatric
disorders in a community population of older adolescents. *J Am Acad Child
Adolesc Psychiatry* 1993; 32(2):369-377
- Rhee SH, Waldman ID, Hay DA, Levy F: Sex differences in genetic and environmental
influences on DSM-III-R attention-deficit/hyperactivity disorder. *J Abnorm
Psychol* 1999; 108(1):24-41
- *Rohde LA, Biederman J, Busnello EA, Zimmermann H, Schmitz M, Martins S,
Tramontina S: ADHD in a school sample of Brazilian adolescents: a study of
prevalence, comorbid conditions, and impairments. *J Am Acad Child Adolesc
Psychiatry* 1999; 38(6):716-722
- Roberts RE, Attkisson C, Rosenblatt A: Prevalence of psychopathology among children
and adolescents. *Am J Psychiatry* 1998; 155(6):715-725
- *Romano E, Tremblay RE, Vitaro F, Zoccolillo M, Pagani L: Prevalence of psychiatric
diagnoses and the role of perceived impairment: Findings from an adolescent
community sample. *J Child Psychol Psychiatry* 2001; 42(4):451-461
- *Rowland AS, Umbach DM, Catoe KE, Stallone L, Long S, Rabiner D, Naftel AJ, Panke
D, Faulk R, Sandler DP: Studying the epidemiology of attention-deficit
hyperactivity disorder: screening method and pilot results. *Can J Psychiatry* 2001;
46(10):931-940
- Rowland AS, Umbach DM, Stallone L, Naftel AJ, Bohlig EM, Sandler DP: Prevalence of
medication treatment for attention deficit-hyperactivity disorder among

elementary school children in Johnston County, North Carolina. *Am J Public Health* 2002; 92(2):231-234

Rowland AS, Lesesne CA, Abramowitz AJ: The epidemiology of attention-deficit/hyperactivity disorder (ADHD): A public health view. *Ment Retard Dev Disabil Res Rev* 2002; 8(3):162-170

*Rubio-Stipec M, Canino GJ, Shrout P, Dulcan M, Freeman D, Bravo M: Psychometric properties of parents and children as informants in child psychiatry epidemiology with the Spanish Diagnostic Interview Schedule for Children (DISC.2). *J Abnorm Child Psychol* 1994; 22(6):703-720

Sandberg ST, Wieselberg M, Shaffer D: Hyperkinetic and conduct problem children in a primary school population: some epidemiological considerations. *J Child Psychol Psychiatry* 1980; 21(4):293-311

Sandberg S: Hyperkinetic or attention deficit disorder. *Br J Psychiatry* 1996; 169(1):10-17

Satin MS, Winsberg BG, Monetti CH, Sverd J, Foss DA: A general population screen for attention deficit disorder with hyperactivity. *J Am Acad Child Psychiatry* 1985; 24(6):756-764

Sawyer MG, Arney FM, Baghurst PA, Clark JJ, Graetz BW, Kosky RJ, Nurcombe B, Patton GC, Prior MR, Raphael B, Rey JM, Whaites LC, Zubrick SR: The mental health of young people in Australia: key findings from the Child and Adolescent Component of the National Survey of Mental Health and Well-Being. *Aust N Z J Psychiatry* 2001;35(6):806-814

Sawyer MG, Rey JM, Graetz BW, Clark JJ, Baghurst PA: Use of medication by young people with attention-deficit/hyperactivity disorder. *Med J Aust* 2002; 177(1):21-25

Scahill L, Schwab-Stone M, Merikangas KR, Leckman JF, Zhang H, Kasl S: Psychosocial and Clinical Correlates of ADHD in a Community Sample of School-Age Children *J Am Acad Child Adolesc Psychiatry* 1999;38:976-984

Scahill L, Schwab-Stone M: Epidemiology of ADHD in school-age children. *Child Adolesc Psychiatr Clin N Am* 2000; 9(3):541-555

Schaughency E, McGee R, Raja SN, Feehan M, Silva PA: Self-reported inattention, impulsivity, and hyperactivity at ages 15 and 18 years in the general population. *J Am Acad Child Adolesc Psychiatry* 1994; 33(2):173-184

*Schmidt MH, Esser G, Moll GH: Follow-up of hyperkinetic syndrome in clinical and field samples. (in German). *Z Kinder Jugendpsychiatr* 1991; 19(4):240-247

Sergeant J, Steinhausen HC: European perspectives on hyperkinetic disorder. *Eur Child Adolesc Psychiatry* 1992; 1(1):34-41

*Shaffer D, Fisher P, Dulcan MK, Davies M, Piacentini J, Schwab-Stone ME, Lahey BB, Bourdon K, Jensen PS, Bird HR, Canino G, Regier DA: The NIMH Diagnostic Interview Schedule for Children Version 2.3 (DISC-2.3) Description, Acceptability, Prevalence Rates, and Performance in the MECA Study. *J Am Acad Child Adolesc Psychiatry* 1996; 35:865-877

Shapiro SK, Garfinkel BD: The occurrence of behavior disorders in children: The interdependence of attention deficit disorder and conduct disorder. *J Am Acad Child Adolesc Psychiatry* 1986; 25(6):809-819

*Shekim WO, Kashani J, Beck N, Cantwell DP, Martin J, Rosenberg J, Costello A: The prevalence of attention deficit disorders in a rural midwestern community sample of nine-year-old children. *J Am Acad Child Psychiatry* 1985; 24(6):765-770

- Sherman DK, McGue MK, Iacono WG: Twin concordance for attention deficit hyperactivity disorder: a comparison of teachers' and mothers' reports. *Am J Psychiatry* 1997; 154(4):532-535
- Simonoff E, Pickles A, Meyer JM, Silberg JL, Maes HH, Loeber R, Rutter M, Hewitt JK, Eaves LJ: The Virginia Twin Study of Adolescent Behavioral Development. Influences of age, sex, and impairment on rates of disorder. *Arch Gen Psychiatry* 1997; 54(9):801-808
- Smedje H, Broman JE, Hetta J: Parents' reports of disturbed sleep in 5-7-year-old Swedish children. *Acta Paediatr* 1999; 88(8):858-865
- Smith EV Jr, Johnson BD: Factor structure of the DSM-IV criteria for college students using the Adult Behavior Checklist. *Measurement and Evaluation in Counseling and Development* 1998; 31(3):164-183
- Smith EV Jr, Johnson BD: Attention deficit hyperactivity disorder: Scaling and standard setting using Rasch measurement. *J Appl Meas* 2000; 1(1):3-24
- Sonuga-Barke EJ, Dalen L, Remington B: Do executive deficits and delay aversion make independent contributions to preschool attention-deficit/hyperactivity disorder symptoms? *J Am Acad Child Adolesc Psychiatry* 2003; 42(11):1335-1342
- Spady DW, Schopflocher DP, Svenson LW, Thompson AH: Prevalence of Mental Disorders in Children Living in Alberta, Canada, as Determined From Physician Billing Data. *Arch Pediatr Adolesc Med* 2001; 155(10):1153-1159
- *Srinath S, Girimaji SC, Gururaj G et al: Epidemiological study of child and adolescent psychiatric disorders in urban and rural areas of Bangalore, India. *Indian J Med Res* 2005; 122(1):67-79

- *Steinhausen HC, Metzke CW, Meier M, Kannenberg R: Prevalence of child and adolescent psychiatric disorders: the Zurich Epidemiological Study. *Acta Psychiatr Scand* 1998; 98(4):262-271
- *Sugawara M, Mukai T, Kitamura T, Toda MA, Shima S, Tomoda A, Koizumi T, Watanabe K, Ando A.: Psychiatric disorders among Japanese children. *J Am Acad Child Adolesc Psychiatry* 1999; 38(4):444-452
- Swanson JM, Lerner M, Williams L: More frequent diagnosis of attention deficit-hyperactivity disorder. *NEJM* 1995; 333(14):944
- Swanson JM, Sergeant JA, Taylor E, Sonuga-Barke EJ, Jensen PS, Cantwell DP: Attention-deficit hyperactivity disorder and hyperkinetic disorder. *Lancet* 1998; 351(9100):429-433
- Szatmari P, Boyle M, Offord DR: ADDH and conduct disorder: degree of diagnostic overlap and differences among correlates. *J Am Acad Child Adolesc Psychiatry* 1989; 28(6):865-872
- *Szatmari P, Offord DR, Boyle MH: Ontario Child Health Study: prevalence of attention deficit disorder with hyperactivity. *J Child Psychol Psychiatry* 1989; 30(2):219-230
- Szatmari P. The epidemiology of Attention-deficit hyperactivity disorders. *Child Adolesc Psychiatry Clin North Am* 1992; 1(2):361-371
- Szatmari P, Boyle MH, Offord DR: Familial aggregation of emotional and behavioral problems of childhood in the general population. *Am J Psychiatry* 1993; 150(9):1398-1403
- Tao KT: Hyperactivity and attention deficit disorder syndromes in China. *J Am Acad Child Adolesc Psychiatry* 1992; 31(6):1165-1166

- Taylor E, Sandberg S: Hyperactive behavior in English schoolchildren: A questionnaire survey. *J Abnorm Child Psychol* 1984; 12(1):143-155
- *Taylor E, Sandberg S, Thorley G, Giles S: *The Epidemiology of Childhood Hyperactivity*. New York, Oxford University Press, 1991. pp 93-113
- Taylor E, Sergeant J, Doepfner M, Gunning B, Overmeyer S, Moebius HJ, Eisert HG: Clinical guidelines for hyperkinetic disorder. *Eur Child Adolesc Psychiatry* 1998; 7(4):184-200
- *Tercyak KP, Lerman C, Audrain J: Association of attention-deficit/hyperactivity disorder symptoms with levels of cigarette smoking in a community sample of adolescents. *J Am Acad Child Adolesc Psychiatry* 2002; 41(7):799-805
- Tercyak KP, Audrain-McGovern J: Personality differences associated with smoking experimentation among adolescents with and without comorbid symptoms of ADHD. *Subst Use Misuse* 2003; 38(14):1953-1970
- Thapar A, Harrington R, Ross K, McGuffin P: Does the definition of ADHD affect heritability? *J Am Acad Child Adolesc Psychiatry* 2000; 39(12):1528-1536
- Thapar A, Harrington R, McGuffin P: Examining the comorbidity of ADHD-related behaviours and conduct problems using a twin study design. *Br J Psychiatry* 2001; 179:224-229
- Thapar A, Fowler T, Rice F, Scourfield J, van den Bree M, Thomas H, Harold G, Hay D: Maternal smoking during pregnancy and attention deficit hyperactivity disorder symptoms in offspring. *Am J Psychiatry* 2003; 160(11):1985-1989
- Todd RD, Rasmussen ER, Neuman RJ, Reich W, Hudziak JJ, Burcholz KK, Madden PA, Heath A: Familiality and heritability of subtypes of attention deficit hyperactivity

disorder in a population sample of adolescent female twins. *Am J Psychiatry* 2001; 158(11):1891-1898

Todd RD, Sitdhiraksa N, Reich W, Ji TH, Joyner CA, Heath AC, Neuman RJ:

Discrimination of DSM-IV and latent class attention-deficit/hyperactivity disorder subtypes by educational and cognitive performance in a population-based sample of child and adolescent twins. *J Am Acad Child Adolesc Psychiatry* 2002; 41(7):820-828

Turner RJ, Gil AG: Psychiatric and substance use disorders in South Florida: racial/ethnic and gender contrasts in a young adult cohort. *Arch Gen Psychiatry* 2002; 59(1):43-50

*Vasconcelos MM, Werner Jr J, Malheiros AF, Lima DF, Santos IS, Barbosa JB: Attention deficit/hyperactivity disorder prevalence in an inner city elementary school (in Portuguese). *Arq Neuropsiquiatr* 2003; 61(1):67-73

van Dulmen MH, Grotevant HD, Dunbar N, Miller BC, Bayley B, Christensen M, Fan X: Connecting national survey data with DSM-IV criteria. *J Adolesc Health* 2002; 31(6):475-481

*Velez CN, Johnson J, Cohen P: A longitudinal analysis of selected risk factors for childhood psychopathology. *J Am Acad Child Adolesc Psychiatry* 1989; 28(6):861-864

*Verhulst FC, Berden GF, Sanders-Woudstra JA: Mental health in Dutch children: (II). The prevalence of psychiatric disorder and relationship between measures. *Acta Psychiatr Scand Suppl* 1985; 324:1-45

Verhulst FC, Koot HM, Berden GF: Four-year follow-up of an epidemiological sample. *J Am Acad Child Adolesc Psychiatry* 1990; 29(3):440-448

- *Verhulst FC, van der Ende J, Ferdinand RF, Kasius MC: The prevalence of DSM-III-R diagnoses in a national sample of Dutch adolescents. *Arch Gen Psychiatry* 1997; 54(4):329-336
- Vik T, Grov B, Garasen H: Drug treatment of school children with attention deficit and hyperactivity disorder. (in Norwegian) *Tidsskr Nor Laegeforen* 2001; 121(19):2261-2264
- Vikan A: Psychiatric epidemiology in a sample of 1510 ten-year-old children—I. Prevalence. *J Child Psychol Psychiatry* 1985; 26(1):55-75
- von Knorring AL, Andersson O, Magnusson D: Psychiatric care and course of psychiatric disorders from childhood to early adulthood in a representative sample. *J Child Psychol Psychiatry* 1987; 28(2):329-341
- *Wacharasindhu A, Panyayong B: Psychiatric disorders in Thai school-aged children: I. Prevalence. *J Med Assoc Thai* 2002; 85(S1):S125-136
- Waldman HB, Perlman SP: Children with attention deficit disorder and learning disability: findings from the First National Study. *J Dent Child (Chic)* 2004;71(2):101-104
- *Wang YC, Chong MY, Chou WJ, Yang JL: Prevalence of attention deficit hyperactivity disorder in primary school children in Taiwan. *J Formos Med Assoc* 1993; 92(2):133-138
- Waschbusch DA: A meta-analytic examination of comorbid hyperactive-impulsive-attention problems and conduct problems. *Psychol Bull* 2002; 128(1):118-150
- Weisz JR, Suwanlert S, Chaiyasit W, Weiss B, Achenbach TM, Walter BR: Epidemiology of behavioral and emotional problems among Thai and American children: parent reports for ages 6 to 11. *J Am Acad Child Adolesc Psychiatry* 1987; 26(6):890-897

*West P, Sweeting H, Der G, Barton J, Lucas C: Voice-DISC identified DSM-IV disorders among 15-year-olds in the west of Scotland. *J Am Acad Child Adolesc Psychiatry* 2003; 42(8):941-949

Weyandt LL, Linterman I, Rice JA: Reported prevalence of attentional difficulties in a general sample of college students. *Journal Psychopathology Behavioral Assessment* 1995; 17(3):293-304

*Weyerer S, Castell R, Biener A, Artner K, Dilling H: Prevalence and treatment of psychiatric disorders in 3 to 14-year-old children: results of a representative field study in the small town rural region of Traunstein, upper Bavaria. *Acta Psychiatr Scand* 1988; 77(3):290-296

Whitaker A, Johnson J, Shaffer D, Rapoport JL, Kalikow K, Walsh BT, Davies M, Braiman S, Dolinsky A: Uncommon troubles in young people: prevalence estimates of selected psychiatric disorders in a nonreferred adolescent population. *Arch Gen Psychiatry* 1990; 47:487-496

Willcutt EG, Pennington BF, Chhabildas NA, Friedman MC, Alexander J: Psychiatry comorbidity associated with DSM-IV ADHD in a nonreferred sample of twins. *J Am Acad Child Adolesc Psychiatry* 1999; 38(11):1355-1362

*Wolraich ML, Hannah JN, Pinnock TY, Baumgaertel A, Brown J: Comparison of diagnostic criteria for attention-deficit hyperactivity disorder in a county-wide sample. *J Am Acad Child Adolesc Psychiatry* 1996; 35(3):319-324

Wolraich ML, Hannah JN, Baumgaertel A, Feurer ID: Examination of DSM-IV criteria for attention deficit/hyperactivity disorder in a county-wide sample. *J Dev Behav Pediatr* 1998; 19(3):162-168

- Wolraich ML, Lambert EW, Baumgaertel A, Garcia-Tornel S, Feurer ID, Bickman L, Doffing MA: Teachers' screening for attention deficit/hyperactivity disorder: comparing multinational samples on teacher ratings of ADHD. *J Abnorm Child Psychol* 2003; 31(4):445-455
- Wolraich ML, Lambert EW, Bickman L, Simmons T, Doffing MA, Worley KA: Assessing the impact of parent and teacher agreement on diagnosing attention-deficit hyperactivity disorder. *J Dev Behav Pediatr* 2004; 25(1):41-47
- *Wong CK, Lau JT: Psychiatric morbidity in a Chinese primary school in Hong Kong. *Aust N Z J Psychiatry* 1992; 26(3):459-466
- Wray SR, Barnaby L, McLaren E: Hyperkinesia (minimal brain dysfunction) and other behavioural disorders in a sample of Jamaican school children. *West Indian Med J* 1980; 29(4):261-271
- Yang Q, Deng H, You S, Wu P: Factors related to behavior problems in children of inland and special district. *Chinese Mental Health J* 1998; 12(4):216-217
- *Yoo HI, Cho SC, Kim BN, Kim SY, Shin MS, Hong KE: Psychiatric morbidity of second and third grade primary school children in Korea. *Child Psychiatry Hum Dev* 2005; 36(2):215-225
- *Yu-cun S, Yu-feng W, Xiao-ling Y: An epidemiological investigation of minimal brain dysfunction in six elementary schools in Beijing. *J Child Psychol Psychiatry* 1985; 26(5):777-787
- Zahner GE, Jacobs JH, Freeman DH Jr, Trainor KF. Rural-urban child psychopathology in a Northeastern U.S. state: 1986-1989. *J Am Acad Child Adolesc Psychiatry* 1993; 32(2):378-387.

- *Zohar AH, Ratzoni G, Pauls DL, Apter A, Bleich A, Kron S, Rappaport M, Weizman A, Cohen DJ: An epidemiological study of obsessive-compulsive disorder and related disorders in Israeli adolescents. *J Am Acad Child Adolesc Psychiatry* 1992; 31(6):1057-1056
- *Zuddas A, Marzocchi GM, Oosterlaan J, Cavolina P, Ancilletta B, Sergeant J: Factor structure and cultural factors of disruptive behaviour disorders symptoms in Italian children. *Eur Psychiatry* 2006; 21(6):410-418

Textbooks

- Coffey BJ: Attention Deficit Hyperactivity Disorder. In: Noshpitz JD, editor. *Handbook of Child and Adolescent Psychiatry*. New York, Jon Wiley & Sons, Inc; 1997. p. 456-83
- McCracken JT: Attention-Deficit Disorders, in Kaplan and Sadock's *Comprehensive Textbook of Psychiatry*, 7th ed. Edited by Sadock JJ, Sadock VA. Philadelphia, Lippincott Williams & Wilkins; 2000, pp. 2679-2688
- Schachar R, Tannock R: Syndroms of Hyperactivity and Attention Deficit, in *Child and Adolescent Psychiatry*, 4th ed. Edited by Rutter M, Taylor E. Oxford, United Kingdom, Blackwell Publishing; 2002, p. 399-418
- Waslick B, Greenhill L: Attention-Deficit/Hyperactivity Disorder, in *Textbook of Child and Adolescent Psychiatry*, 2nd ed. Edited by Wiener JM. Washington, DC: American Psychiatric Publishing; 1997, p. 389-411
- Weiss M, Weiss G: Attention deficit hyperactivity disorder, in *Child and Adolescent Psychiatry. A Comprehensive Textbook*, 3rd ed. Edited by Lewis M. Philadelphia, Lippincott Williams & Wilkins, 2002, pp. 645-670